


指定感染菌 薬剤感受性状況

抽出条件	菌	医療機関
受付日	S.aureus (MRSA)	
2017/12/01~2017/12/31		

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

抽出条件	菌
受付日	S.aureus (MRSA)
2017/12/01~2017/12/31	

指定感染菌 薬剤感受性状況表

薬剤	S (%)	I (%)	R (%)	合計
PCG	0(0%)	0(0%)	46(100%)	46(100%)
MPIPC	0(0%)	0(0%)	46(100%)	46(100%)
ABPC	0(0%)	0(0%)	11(100%)	11(100%)
AMPC	0(0%)	0(0%)	26(100%)	26(100%)
PIPC	0(0%)	0(0%)	41(100%)	41(100%)
CEZ	0(0%)	0(0%)	70(100%)	70(100%)
CTM	0(0%)	0(0%)	69(100%)	69(100%)
CXM	0(0%)	0(0%)	1(100%)	1(100%)
CTX	0(0%)	0(0%)	46(100%)	46(100%)
CZX	0(0%)	0(0%)	3(100%)	3(100%)
CMX	0(0%)	0(0%)	4(100%)	4(100%)
GAZ	0(0%)	0(0%)	23(100%)	23(100%)
CTR	0(0%)	0(0%)	40(100%)	40(100%)
CDZM	0(0%)	0(0%)	1(100%)	1(100%)
CPR	0(0%)	0(0%)	7(100%)	7(100%)
CFPM	0(0%)	0(0%)	64(100%)	64(100%)
CZOP	0(0%)	0(0%)	23(100%)	23(100%)
CMZ	0(0%)	0(0%)	50(100%)	50(100%)
CEX	0(0%)	0(0%)	2(100%)	2(100%)
CCL	0(0%)	0(0%)	14(100%)	14(100%)
CFDN	0(0%)	0(0%)	18(100%)	18(100%)
CPDX-PR	0(0%)	0(0%)	7(100%)	7(100%)
CFTM-PI	0(0%)	0(0%)	6(100%)	6(100%)
CDTR-PI	0(0%)	0(0%)	22(100%)	22(100%)
CFPN-PI	0(0%)	0(0%)	30(100%)	30(100%)
FMOX	0(0%)	0(0%)	45(100%)	45(100%)
IPM/CS	0(0%)	0(0%)	63(100%)	63(100%)
PAPM/BP	0(0%)	0(0%)	2(100%)	2(100%)
MEPM	0(0%)	0(0%)	35(100%)	35(100%)
FRPM	0(0%)	0(0%)	15(100%)	15(100%)
BIPM	0(0%)	0(0%)	7(100%)	7(100%)
DRPM	0(0%)	0(0%)	21(100%)	21(100%)
TBPM-PI	0(0%)	0(0%)	5(100%)	5(100%)
CVA/AMPC	0(0%)	0(0%)	7(100%)	7(100%)
SBT/ABPC	0(0%)	0(0%)	73(100%)	73(100%)
SBT/CPZ	0(0%)	0(0%)	77(100%)	77(100%)
TAZ/PIPC	0(0%)	0(0%)	19(100%)	19(100%)
SM	1(33.3%)	0(0%)	2(66.7%)	3(100%)
KM	2(33.3%)	0(0%)	4(66.7%)	6(100%)
GM	3(40.9%)	0(0%)	13(59.1%)	22(100%)
DKB	2(66.7%)	0(0%)	1(33.3%)	3(100%)
TOB	2(50.0%)	0(0%)	2(50.0%)	4(100%)
AMK	13(86.7%)	2(13.3%)	0(0%)	15(100%)
ISP	10(71.4%)	3(21.4%)	1(7.1%)	14(100%)
ABK	51(100%)	0(0%)	0(0%)	51(100%)
EM	0(0%)	0(0%)	11(100%)	11(100%)
CAM	0(0%)	0(0%)	40(100%)	40(100%)
AZM	0(0%)	0(0%)	28(100%)	28(100%)
CLDM	21(31.3%)	0(0%)	46(68.7%)	67(100%)
TC	2(100%)	0(0%)	0(0%)	2(100%)
MINO	30(33.0%)	6(6.6%)	55(60.4%)	91(100%)
CP	2(100%)	0(0%)	0(0%)	2(100%)
CL	0(0%)	0(0%)	2(100%)	2(100%)
PL-B	0(0%)	0(0%)	10(100%)	10(100%)
VCM	87(100%)	0(0%)	0(0%)	87(100%)
TEIC	66(100%)	0(0%)	0(0%)	66(100%)
LZD	54(100%)	0(0%)	0(0%)	54(100%)
DAP	1(100%)	0(0%)	0(0%)	1(100%)
FOM	13(46.4%)	2(7.1%)	13(46.4%)	28(100%)
NFLX	0(0%)	0(0%)	4(100%)	4(100%)
OFLX	0(0%)	0(0%)	8(100%)	8(100%)
CPFX	0(0%)	0(0%)	20(100%)	20(100%)
LVFX	0(0%)	0(0%)	6(100%)	6(100%)
TFX	0(0%)	0(0%)	13(100%)	13(100%)
LVFX	2(2.2%)	0(0%)	88(97.8%)	90(100%)
PZFX	0(0%)	0(0%)	18(100%)	18(100%)
GFLX	0(0%)	0(0%)	3(100%)	3(100%)
MFLX	0(0%)	0(0%)	4(100%)	4(100%)
GRNX	3(10.0%)	0(0%)	27(90.0%)	30(100%)
STFX	3(27.3%)	0(0%)	8(72.7%)	11(100%)
ST	22(95.7%)	0(0%)	1(4.3%)	23(100%)

