


指定感染菌 薬剤感受性状況

抽出条件	
受付日	菌
2016/03/01~2016/03/31	S.aureus (MRSA)
	医療機関

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

抽出条件	
受付日	菌
2016/03/01~2016/03/31	S.aureus (MRSA)

指定感染菌 薬剤感受性状況表

薬剤	S (%)	I (%)	R (%)	合計
PCG	0(0%)	0(0%)	35(100%)	35(100%)
MPIP	0(0%)	0(0%)	39(100%)	39(100%)
ABPC	0(0%)	0(0%)	13(100%)	13(100%)
AMPC	0(0%)	0(0%)	24(100%)	24(100%)
PIP	0(0%)	0(0%)	55(100%)	55(100%)
CEZ	0(0%)	0(0%)	68(100%)	68(100%)
CTM	0(0%)	0(0%)	58(100%)	58(100%)
CPZ	0(0%)	0(0%)	1(100%)	1(100%)
CXM	0(0%)	0(0%)	1(100%)	1(100%)
CTX	0(0%)	0(0%)	38(100%)	38(100%)
CZX	0(0%)	0(0%)	3(100%)	3(100%)
CMX	0(0%)	0(0%)	2(100%)	2(100%)
CAZ	0(0%)	0(0%)	41(100%)	41(100%)
CTRX	0(0%)	0(0%)	48(100%)	48(100%)
CDZM	0(0%)	0(0%)	1(100%)	1(100%)
CPR	0(0%)	0(0%)	4(100%)	4(100%)
CFPM	0(0%)	0(0%)	69(100%)	69(100%)
CZOP	0(0%)	0(0%)	24(100%)	24(100%)
CFX	0(0%)	0(0%)	1(100%)	1(100%)
CMZ	0(0%)	0(0%)	36(100%)	36(100%)
CEX	0(0%)	0(0%)	4(100%)	4(100%)
CCL	0(0%)	0(0%)	18(100%)	18(100%)
CFDN	0(0%)	0(0%)	23(100%)	23(100%)
CPDX-PR	0(0%)	0(0%)	6(100%)	6(100%)
CFTM-PI	0(0%)	0(0%)	4(100%)	4(100%)
CDTR-PI	0(0%)	0(0%)	15(100%)	15(100%)
CFPN-PI	0(0%)	0(0%)	30(100%)	30(100%)
FMOX	0(0%)	0(0%)	36(100%)	36(100%)
IPM/CS	0(0%)	0(0%)	64(100%)	64(100%)
PAPM/BP	0(0%)	0(0%)	2(100%)	2(100%)
MEPM	0(0%)	0(0%)	39(100%)	39(100%)
FRPM	0(0%)	0(0%)	14(100%)	14(100%)
BIPM	0(0%)	0(0%)	6(100%)	6(100%)
DRPM	0(0%)	0(0%)	30(100%)	30(100%)
TBPM-PI	0(0%)	0(0%)	5(100%)	5(100%)
CVA/AMPC	0(0%)	0(0%)	1(100%)	1(100%)
SBT/ABPC	0(0%)	0(0%)	66(100%)	66(100%)
SBT/CPZ	0(0%)	0(0%)	85(100%)	85(100%)
TAZ/PIP	0(0%)	0(0%)	23(100%)	23(100%)
SM	6(66.7%)	2(22.2%)	1(11.1%)	9(100%)
KM	3(42.9%)	0(0%)	4(57.1%)	7(100%)
GM	11(33.3%)	2(6.1%)	20(60.6%)	33(100%)
DKB	3(60.0%)	0(0%)	2(40.0%)	5(100%)
TOB	1(25.0%)	0(0%)	3(75.0%)	4(100%)
AMK	16(66.7%)	6(25.0%)	2(8.3%)	24(100%)
ISP	8(72.7%)	1(9.1%)	2(18.2%)	11(100%)
ABK	46(100%)	0(0%)	0(0%)	46(100%)
EM	2(10.5%)	1(5.3%)	16(84.2%)	19(100%)
CAM	4(9.3%)	0(0%)	39(90.7%)	43(100%)
AZM	1(4.5%)	0(0%)	21(95.5%)	22(100%)
CLDM	15(19.2%)	1(1.3%)	62(79.5%)	78(100%)
OTC	0(0%)	0(0%)	1(100%)	1(100%)
MINO	19(19.8%)	6(6.3%)	71(74.0%)	96(100%)
PL-B	0(0%)	0(0%)	8(100%)	8(100%)
VCM	84(100%)	0(0%)	0(0%)	84(100%)
TEIC	61(100%)	0(0%)	0(0%)	61(100%)
LZD	41(100%)	0(0%)	0(0%)	41(100%)
FOM	1(100%)	0(0%)	0(0%)	1(100%)
NA	0(0%)	0(0%)	4(100%)	4(100%)
NFLX	2(20.0%)	0(0%)	8(80.0%)	10(100%)
OFLX	1(12.5%)	0(0%)	7(87.5%)	8(100%)
CPFX	1(4.8%)	0(0%)	20(95.2%)	21(100%)
LFLEX	0(0%)	0(0%)	2(100%)	2(100%)
TFLEX	4(19.0%)	0(0%)	17(81.0%)	21(100%)
LVFX	3(3.3%)	0(0%)	87(96.7%)	90(100%)
PZFX	0(0%)	0(0%)	28(100%)	28(100%)
PIJFX	1(33.3%)	0(0%)	2(66.7%)	3(100%)
GFLX	0(0%)	0(0%)	1(100%)	1(100%)
MFLX	3(23.1%)	0(0%)	10(76.9%)	13(100%)
GRNX	7(22.6%)	0(0%)	24(77.4%)	31(100%)
STFX	0(0%)	0(0%)	2(100%)	2(100%)
ST	21(100%)	0(0%)	0(0%)	21(100%)

