



指定感染菌 薬剤感受性状況

抽出条件	菌	医療機関
受付日	S.aureus (MRSA)	
2016/04/01~2016/04/30		

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

受付日	菌
2016/04/01~2016/04/30	S.aureus (MRSA)

指定感染菌 薬剤感受性状況表

	S	I	R	合計
PCG	0(0%)	0(0%)	41(100%)	41(100%)
MPIPC	0(0%)	0(0%)	41(100%)	41(100%)
ABPC	0(0%)	0(0%)	12(100%)	12(100%)
AMPC	0(0%)	0(0%)	17(100%)	17(100%)
ASPC	0(0%)	0(0%)	1(100%)	1(100%)
PIPC	0(0%)	0(0%)	43(100%)	43(100%)
CEZ	0(0%)	0(0%)	65(100%)	65(100%)
CTM	0(0%)	0(0%)	58(100%)	58(100%)
CXM	0(0%)	0(0%)	2(100%)	2(100%)
CTX	0(0%)	0(0%)	40(100%)	40(100%)
CZX	0(0%)	0(0%)	4(100%)	4(100%)
CMX	0(0%)	0(0%)	3(100%)	3(100%)
CAZ	0(0%)	0(0%)	33(100%)	33(100%)
CTRX	0(0%)	0(0%)	37(100%)	37(100%)
CDZM	0(0%)	0(0%)	3(100%)	3(100%)
CPR	0(0%)	0(0%)	6(100%)	6(100%)
CFPM	0(0%)	0(0%)	66(100%)	66(100%)
CZOP	0(0%)	0(0%)	22(100%)	22(100%)
CMZ	0(0%)	0(0%)	41(100%)	41(100%)
CMNX	0(0%)	0(0%)	1(100%)	1(100%)
CEX	0(0%)	0(0%)	3(100%)	3(100%)
CCL	0(0%)	0(0%)	12(100%)	12(100%)
CFIX	0(0%)	0(0%)	1(100%)	1(100%)
CFDN	0(0%)	0(0%)	15(100%)	15(100%)
CPDX-PR	0(0%)	0(0%)	8(100%)	8(100%)
CFTM-PI	0(0%)	0(0%)	6(100%)	6(100%)
CDTR-PI	0(0%)	0(0%)	10(100%)	10(100%)
CFFN-PI	0(0%)	0(0%)	28(100%)	28(100%)
LMOX	0(0%)	0(0%)	1(100%)	1(100%)
FMOX	0(0%)	0(0%)	42(100%)	42(100%)
IPM/CS	0(0%)	0(0%)	61(100%)	61(100%)
PAPM/BP	0(0%)	0(0%)	2(100%)	2(100%)
MEPM	0(0%)	0(0%)	33(100%)	33(100%)
FRPM	0(0%)	0(0%)	8(100%)	8(100%)
BIPM	0(0%)	0(0%)	6(100%)	6(100%)
DRPM	0(0%)	0(0%)	25(100%)	25(100%)
TBPM-PI	0(0%)	0(0%)	5(100%)	5(100%)
GVA/AMPC	0(0%)	0(0%)	2(100%)	2(100%)
SBT/ABPC	0(0%)	0(0%)	61(100%)	61(100%)
SBT/CPZ	0(0%)	0(0%)	80(100%)	80(100%)
TAZ/PIPC	0(0%)	0(0%)	15(100%)	15(100%)
SM	4(80.0%)	0(0%)	1(20.0%)	5(100%)
KM	1(16.7%)	0(0%)	5(83.3%)	6(100%)
GM	5(16.7%)	3(10.3%)	21(72.4%)	29(100%)
DKB	1(16.7%)	0(0%)	5(83.3%)	6(100%)
TOB	0(0%)	0(0%)	2(100%)	2(100%)
AMK	13(54.2%)	9(37.5%)	2(8.3%)	24(100%)
ISP	7(70.0%)	0(0%)	3(30.0%)	10(100%)
ABK	49(100%)	0(0%)	0(0%)	49(100%)
EM	3(10.3%)	0(0%)	14(82.4%)	17(100%)
CAM	3(10.3%)	0(0%)	26(89.7%)	29(100%)
AZM	3(16.7%)	0(0%)	15(83.3%)	18(100%)
CLDM	8(11.3%)	1(1.4%)	62(87.3%)	71(100%)
MINO	15(17.2%)	5(5.7%)	67(77.0%)	87(100%)
PL-B	0(0%)	0(0%)	7(100%)	7(100%)
VCM	83(100%)	0(0%)	0(0%)	83(100%)
TEIC	71(100%)	0(0%)	0(0%)	71(100%)
LZD	49(100%)	0(0%)	0(0%)	49(100%)
DAP	4(100%)	0(0%)	0(0%)	4(100%)
FOM	8(26.7%)	2(6.7%)	20(66.7%)	30(100%)
NA	0(0%)	0(0%)	4(100%)	4(100%)
NFLX	2(33.3%)	0(0%)	4(66.7%)	6(100%)
OFLX	1(14.3%)	1(14.3%)	5(71.4%)	7(100%)
CPFX	1(5.8%)	0(0%)	17(94.4%)	18(100%)
LFLX	0(0%)	0(0%)	1(100%)	1(100%)
TELX	5(25.0%)	0(0%)	15(75.0%)	20(100%)
LVFX	8(9.3%)	0(0%)	78(90.7%)	86(100%)
PZFX	0(0%)	1(4.3%)	22(95.7%)	23(100%)
PUFX	0(0%)	0(0%)	1(100%)	1(100%)
MFLX	0(0%)	0(0%)	8(100%)	8(100%)
GRNX	2(9.1%)	0(0%)	20(90.9%)	22(100%)
STFX	1(25.0%)	1(25.0%)	2(50.0%)	4(100%)
ST	21(100%)	0(0%)	0(0%)	21(100%)

