


指定感染菌 薬剤感受性状況

抽出条件	
受付日	菌
2016/08/01~2016/08/31	S.aureus (MRSA)
	医療機関

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

抽出条件	
受付日	菌
2016/08/01~2016/08/31	S.aureus (MRSA)

指定感染菌 薬剤感受性状況表

薬剤	S (%)	I (%)	R (%)	合計
PCG	0(0%)	0(0%)	59(100%)	59(100%)
MPIP	0(0%)	0(0%)	59(100%)	59(100%)
ABPC	0(0%)	0(0%)	13(100%)	13(100%)
AMPC	0(0%)	0(0%)	20(100%)	20(100%)
ASPC	0(0%)	0(0%)	1(100%)	1(100%)
PIPC	0(0%)	0(0%)	35(100%)	35(100%)
CEZ	0(0%)	0(0%)	73(100%)	73(100%)
CTM	0(0%)	0(0%)	82(100%)	82(100%)
CXM	0(0%)	0(0%)	1(100%)	1(100%)
CTX	0(0%)	0(0%)	60(100%)	60(100%)
CZX	0(0%)	0(0%)	1(100%)	1(100%)
GAZ	0(0%)	0(0%)	22(100%)	22(100%)
CTR	0(0%)	0(0%)	31(100%)	31(100%)
CDZ	0(0%)	0(0%)	3(100%)	3(100%)
CPR	0(0%)	0(0%)	5(100%)	5(100%)
CFPM	0(0%)	0(0%)	66(100%)	66(100%)
CZOP	0(0%)	0(0%)	16(100%)	16(100%)
CFX	0(0%)	0(0%)	1(100%)	1(100%)
CMZ	0(0%)	0(0%)	59(100%)	59(100%)
CMNX	0(0%)	0(0%)	1(100%)	1(100%)
CEX	0(0%)	0(0%)	2(100%)	2(100%)
CCL	0(0%)	0(0%)	17(100%)	17(100%)
CFIX	0(0%)	0(0%)	1(100%)	1(100%)
CFDN	0(0%)	0(0%)	15(100%)	15(100%)
CPDX-PR	0(0%)	0(0%)	4(100%)	4(100%)
CFTM-PI	0(0%)	0(0%)	7(100%)	7(100%)
CDTR-PI	0(0%)	0(0%)	14(100%)	14(100%)
CFPN-PI	0(0%)	0(0%)	31(100%)	31(100%)
LMOX	0(0%)	0(0%)	1(100%)	1(100%)
FMOX	0(0%)	0(0%)	58(100%)	58(100%)
IPM/CS	0(0%)	0(0%)	78(100%)	78(100%)
PAPM/BP	0(0%)	0(0%)	3(100%)	3(100%)
MEPM	0(0%)	0(0%)	25(100%)	25(100%)
FRPM	0(0%)	0(0%)	10(100%)	10(100%)
BIPM	0(0%)	0(0%)	4(100%)	4(100%)
DRPM	0(0%)	0(0%)	17(100%)	17(100%)
TBPM-PI	0(0%)	0(0%)	3(100%)	3(100%)
CVA/AMPC	0(0%)	0(0%)	4(100%)	4(100%)
SBT/ABPC	0(0%)	0(0%)	71(100%)	71(100%)
SBT/CPZ	0(0%)	0(0%)	85(100%)	85(100%)
TAZ/PIPC	0(0%)	0(0%)	18(100%)	18(100%)
SM	2(66.7%)	1(33.3%)	0(0%)	3(100%)
KM	2(40.0%)	0(0%)	3(60.0%)	5(100%)
GM	5(33.3%)	1(6.7%)	9(60.0%)	15(100%)
DKB	3(27.3%)	0(0%)	8(72.7%)	11(100%)
TOB	0(0%)	0(0%)	4(100%)	4(100%)
AMK	10(83.3%)	2(16.7%)	0(0%)	12(100%)
ISP	10(66.7%)	5(33.3%)	0(0%)	15(100%)
ABK	65(100%)	0(0%)	0(0%)	65(100%)
EM	0(0%)	0(0%)	13(100%)	13(100%)
CAM	0(0%)	1(2.9%)	34(97.1%)	35(100%)
AZM	0(0%)	0(0%)	22(100%)	22(100%)
CLDM	18(20.9%)	0(0%)	68(79.1%)	86(100%)
DOXY	1(50.0%)	0(0%)	1(50.0%)	2(100%)
MINO	19(20.4%)	6(6.5%)	68(73.1%)	93(100%)
CP	1(100%)	0(0%)	0(0%)	1(100%)
PL-B	0(0%)	0(0%)	5(100%)	5(100%)
VCM	95(100%)	0(0%)	0(0%)	95(100%)
TEIC	71(100%)	0(0%)	0(0%)	71(100%)
LZD	65(100%)	0(0%)	0(0%)	65(100%)
DAP	4(100%)	0(0%)	0(0%)	4(100%)
FOM	4(16.0%)	4(16.0%)	17(68.0%)	25(100%)
NA	0(0%)	0(0%)	6(100%)	6(100%)
NFLX	2(33.3%)	0(0%)	4(66.7%)	6(100%)
OFLX	0(0%)	1(14.3%)	6(85.7%)	7(100%)
CPFX	1(5.6%)	0(0%)	17(94.4%)	18(100%)
LFLX	0(0%)	0(0%)	2(100%)	2(100%)
TFLX	1(6.7%)	0(0%)	14(93.3%)	15(100%)
LVFX	9(9.5%)	0(0%)	86(90.5%)	95(100%)
PZFX	1(5.6%)	0(0%)	17(94.4%)	18(100%)
PUFX	0(0%)	0(0%)	2(100%)	2(100%)
GFLX	1(100%)	0(0%)	0(0%)	1(100%)
MFLX	0(0%)	0(0%)	7(100%)	7(100%)
GRNX	2(10.0%)	2(10.0%)	16(80.0%)	20(100%)
STFX	2(50.0%)	1(25.0%)	1(25.0%)	4(100%)
ST	23(100%)	0(0%)	0(0%)	23(100%)

