



指定感染菌 薬剤感受性状況

抽出条件	
受付日	菌
2017/11/01~2017/11/30	S.aureus (MRSA)
	医療機関

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

抽出条件	
受付日	菌
2017/11/01~2017/11/30	S.aureus (MRSA)

指定感染菌 薬剤感受性状況表

	S	I	R	合計
PCG	0(0%)	0(0%)	65(100%)	65(100%)
MPIP	0(0%)	0(0%)	65(100%)	65(100%)
ABPC	0(0%)	0(0%)	7(100%)	7(100%)
AMPC	0(0%)	0(0%)	18(100%)	18(100%)
PIPC	0(0%)	0(0%)	37(100%)	37(100%)
CEZ	0(0%)	0(0%)	89(100%)	89(100%)
CTM	0(0%)	0(0%)	87(100%)	87(100%)
CXM	0(0%)	0(0%)	3(100%)	3(100%)
CTX	0(0%)	0(0%)	65(100%)	65(100%)
CZX	0(0%)	0(0%)	1(100%)	1(100%)
CMX	0(0%)	0(0%)	2(100%)	2(100%)
GAZ	0(0%)	0(0%)	25(100%)	25(100%)
CTR	0(0%)	0(0%)	40(100%)	40(100%)
CDZM	0(0%)	0(0%)	1(100%)	1(100%)
CPR	0(0%)	0(0%)	5(100%)	5(100%)
CFPM	0(0%)	0(0%)	83(100%)	83(100%)
CZOP	0(0%)	0(0%)	15(100%)	15(100%)
CMZ	0(0%)	0(0%)	66(100%)	66(100%)
CEX	0(0%)	0(0%)	7(100%)	7(100%)
CCL	0(0%)	0(0%)	14(100%)	14(100%)
CFDN	0(0%)	0(0%)	17(100%)	17(100%)
CPDX-PR	0(0%)	0(0%)	6(100%)	6(100%)
CFTM-PI	0(0%)	0(0%)	5(100%)	5(100%)
CDTR-PI	0(0%)	0(0%)	20(100%)	20(100%)
CFPN-PI	0(0%)	0(0%)	30(100%)	30(100%)
FMOX	0(0%)	0(0%)	65(100%)	65(100%)
IPM/CS	0(0%)	0(0%)	78(100%)	78(100%)
PAPM/BP	0(0%)	0(0%)	2(100%)	2(100%)
MEPM	0(0%)	0(0%)	37(100%)	37(100%)
FRPM	0(0%)	0(0%)	12(100%)	12(100%)
BIPM	0(0%)	0(0%)	3(100%)	3(100%)
DRPM	0(0%)	0(0%)	16(100%)	16(100%)
TBPM-PI	0(0%)	0(0%)	5(100%)	5(100%)
CVA/AMPC	0(0%)	0(0%)	11(100%)	11(100%)
SBT/ABPC	0(0%)	0(0%)	94(100%)	94(100%)
SBT/CPZ	0(0%)	0(0%)	92(100%)	92(100%)
TAZ/PIPC	0(0%)	0(0%)	21(100%)	21(100%)
SM	2(50.0%)	0(0%)	2(50.0%)	4(100%)
KM	1(20.0%)	0(0%)	4(80.0%)	5(100%)
GM	5(27.8%)	0(0%)	13(72.2%)	18(100%)
DKB	1(50.0%)	0(0%)	1(50.0%)	2(100%)
TOB	1(25.0%)	0(0%)	3(75.0%)	4(100%)
AMK	13(76.5%)	2(11.8%)	2(11.8%)	17(100%)
ISP	7(58.3%)	3(25.0%)	2(16.7%)	12(100%)
ABK	70(100%)	0(0%)	0(0%)	70(100%)
EM	0(0%)	0(0%)	9(100%)	9(100%)
CAM	5(12.8%)	0(0%)	34(87.2%)	39(100%)
AZM	5(16.7%)	0(0%)	25(83.3%)	30(100%)
CLDM	20(23.8%)	1(1.2%)	63(75.0%)	84(100%)
TC	1(100%)	0(0%)	0(0%)	1(100%)
DOXY	1(50.0%)	0(0%)	1(50.0%)	2(100%)
MINO	36(33.3%)	6(5.6%)	66(61.1%)	108(100%)
CP	1(100%)	0(0%)	0(0%)	1(100%)
CL	0(0%)	0(0%)	1(100%)	1(100%)
PL-B	0(0%)	0(0%)	11(100%)	11(100%)
VCM	103(100%)	0(0%)	0(0%)	103(100%)
TEIC	81(100%)	0(0%)	0(0%)	81(100%)
LZD	69(100%)	0(0%)	0(0%)	69(100%)
FOM	12(38.7%)	1(3.2%)	18(58.1%)	31(100%)
NA	0(0%)	0(0%)	1(100%)	1(100%)
NFLX	0(0%)	0(0%)	2(100%)	2(100%)
OFLX	1(10.0%)	0(0%)	9(90.0%)	10(100%)
CPFX	0(0%)	0(0%)	20(100%)	20(100%)
LFLEX	0(0%)	0(0%)	4(100%)	4(100%)
TFLX	2(12.5%)	0(0%)	14(87.5%)	16(100%)
LVFX	3(2.7%)	0(0%)	107(97.3%)	110(100%)
PZFX	0(0%)	0(0%)	22(100%)	22(100%)
GFLX	0(0%)	0(0%)	2(100%)	2(100%)
MFLX	0(0%)	0(0%)	5(100%)	5(100%)
GRNX	2(7.4%)	0(0%)	25(92.6%)	27(100%)
STFX	1(9.1%)	1(9.1%)	9(81.8%)	11(100%)
ST	19(95.0%)	0(0%)	1(5.0%)	20(100%)




指定感染菌 薬剤感受性状況

印刷日 : 2017/12/22 14:29:23

抽出条件

受付日	菌	医療機関
2017/11/01~2017/11/30	S.pneumoniae (PRSP)	

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

受付日	菌
2017/11/01~2017/11/30	S.pneumoniae (PRSP)

指定感染菌 薬剤感受性状況表

薬剤	S	I	R	合計
ABPC	0(0%)	0(0%)	2(100%)	2(100%)
AMPC	2(66.7%)	0(0%)	1(33.3%)	3(100%)
PIPc	0(0%)	0(0%)	3(100%)	3(100%)
CEZ	0(0%)	0(0%)	1(100%)	1(100%)
CTM	0(0%)	0(0%)	3(100%)	3(100%)
CPZ	2(100%)	0(0%)	0(0%)	2(100%)
CTX	0(0%)	0(0%)	2(100%)	2(100%)
CAZ	0(0%)	0(0%)	2(100%)	2(100%)
CTRx	0(0%)	0(0%)	1(100%)	1(100%)
CEX	0(0%)	0(0%)	1(100%)	1(100%)
CCL	0(0%)	0(0%)	1(100%)	1(100%)
CFDN	0(0%)	0(0%)	2(100%)	2(100%)
CDTR-PI	0(0%)	0(0%)	2(100%)	2(100%)
CFPN-PI	0(0%)	0(0%)	1(100%)	1(100%)
FMOX	0(0%)	0(0%)	2(100%)	2(100%)
IPM/CS	0(0%)	2(66.7%)	1(33.3%)	3(100%)
PAPM/BP	2(100%)	0(0%)	0(0%)	2(100%)
MEPM	0(0%)	1(33.3%)	2(66.7%)	3(100%)
SBT/ABPC	0(0%)	0(0%)	3(100%)	3(100%)
SBT/CPZ	3(100%)	0(0%)	0(0%)	3(100%)
TAZ/PIPC	0(0%)	0(0%)	3(100%)	3(100%)
GM	0(0%)	0(0%)	2(100%)	2(100%)
AMK	0(0%)	0(0%)	3(100%)	3(100%)
EM	0(0%)	0(0%)	3(100%)	3(100%)
CAM	0(0%)	0(0%)	3(100%)	3(100%)
AZM	0(0%)	0(0%)	2(100%)	2(100%)
CLDM	0(0%)	0(0%)	1(100%)	1(100%)
MINO	1(33.3%)	0(0%)	2(66.7%)	3(100%)
VCM	3(100%)	0(0%)	0(0%)	3(100%)
TEIC	1(100%)	0(0%)	0(0%)	1(100%)
LZD	1(100%)	0(0%)	0(0%)	1(100%)
FOM	2(100%)	0(0%)	0(0%)	2(100%)
NFLX	0(0%)	0(0%)	3(100%)	3(100%)
LVFX	0(0%)	0(0%)	3(100%)	3(100%)
PZFX	0(0%)	0(0%)	1(100%)	1(100%)
MFLX	0(0%)	0(0%)	1(100%)	1(100%)
GRNX	0(0%)	0(0%)	1(100%)	1(100%)
STFX	1(100%)	0(0%)	0(0%)	1(100%)
ST	0(0%)	2(100%)	0(0%)	2(100%)