


指定感染菌 薬剤感受性状況

抽出条件	
受付日	菌
2016/05/01~2016/05/31	S.aureus (MRSA)
	医療機関

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

抽出条件	
受付日	菌
2016/05/01~2016/05/31	S.aureus (MRSA)

指定感染菌 薬剤感受性状況表

薬剤	S (%)	I (%)	R (%)	合計
PCG	0(0%)	0(0%)	49(100%)	49(100%)
MPIP	0(0%)	0(0%)	48(100%)	48(100%)
ABPC	0(0%)	0(0%)	12(100%)	12(100%)
AMPC	0(0%)	0(0%)	28(100%)	28(100%)
PIP	0(0%)	0(0%)	37(100%)	37(100%)
CEZ	0(0%)	0(0%)	67(100%)	67(100%)
CTM	0(0%)	0(0%)	64(100%)	64(100%)
CTX	0(0%)	0(0%)	49(100%)	49(100%)
CZX	0(0%)	0(0%)	2(100%)	2(100%)
CMX	0(0%)	0(0%)	3(100%)	3(100%)
CAZ	0(0%)	0(0%)	25(100%)	25(100%)
CTRX	0(0%)	0(0%)	36(100%)	36(100%)
CDZM	0(0%)	0(0%)	1(100%)	1(100%)
CPR	0(0%)	0(0%)	5(100%)	5(100%)
CFPM	0(0%)	0(0%)	66(100%)	66(100%)
CZOP	0(0%)	0(0%)	15(100%)	15(100%)
CFX	0(0%)	0(0%)	1(100%)	1(100%)
CMZ	0(0%)	0(0%)	50(100%)	50(100%)
CEX	0(0%)	0(0%)	2(100%)	2(100%)
CCL	0(0%)	0(0%)	7(100%)	7(100%)
CFDN	0(0%)	0(0%)	15(100%)	15(100%)
CPDX-PR	0(0%)	0(0%)	10(100%)	10(100%)
CFTM-PI	0(0%)	0(0%)	7(100%)	7(100%)
CDTR-PI	0(0%)	0(0%)	14(100%)	14(100%)
CFPN-PI	0(0%)	0(0%)	26(100%)	26(100%)
FMOX	0(0%)	0(0%)	47(100%)	47(100%)
IPM/CS	0(0%)	0(0%)	69(100%)	69(100%)
PAPM/BP	0(0%)	0(0%)	2(100%)	2(100%)
MEPM	0(0%)	0(0%)	29(100%)	29(100%)
FRPM	0(0%)	0(0%)	11(100%)	11(100%)
BIPM	0(0%)	0(0%)	9(100%)	9(100%)
DRPM	0(0%)	0(0%)	18(100%)	18(100%)
TBPM-PI	0(0%)	0(0%)	5(100%)	5(100%)
CVA/AMPC	0(0%)	0(0%)	5(100%)	5(100%)
SBT/ABPC	0(0%)	0(0%)	71(100%)	71(100%)
SBT/CPZ	0(0%)	0(0%)	79(100%)	79(100%)
TAZ/PIP	0(0%)	0(0%)	18(100%)	18(100%)
SM	5(100%)	0(0%)	0(0%)	5(100%)
KM	2(33.3%)	0(0%)	4(66.7%)	6(100%)
GM	6(24.0%)	0(0%)	19(76.0%)	25(100%)
DKB	0(0%)	0(0%)	1(100%)	1(100%)
TOB	0(0%)	0(0%)	1(100%)	1(100%)
AMK	9(50.0%)	6(33.3%)	3(16.7%)	18(100%)
ISP	6(66.7%)	1(11.1%)	2(22.2%)	9(100%)
ABK	57(100%)	0(0%)	0(0%)	57(100%)
EM	2(16.7%)	0(0%)	10(83.3%)	12(100%)
CAM	3(8.8%)	0(0%)	31(91.2%)	34(100%)
AZM	2(9.1%)	0(0%)	20(90.9%)	22(100%)
CLDM	25(32.5%)	0(0%)	52(67.5%)	77(100%)
MINO	19(21.1%)	6(6.7%)	65(72.2%)	90(100%)
PL-B	0(0%)	0(0%)	7(100%)	7(100%)
VCM	82(100%)	0(0%)	0(0%)	82(100%)
TEIC	73(100%)	0(0%)	0(0%)	73(100%)
LZD	55(100%)	0(0%)	0(0%)	55(100%)
DAP	2(100%)	0(0%)	0(0%)	2(100%)
FOM	7(28.0%)	4(16.0%)	14(56.0%)	25(100%)
NFLX	2(66.7%)	0(0%)	1(33.3%)	3(100%)
OFLX	1(33.3%)	0(0%)	2(66.7%)	3(100%)
CPFX	0(0%)	0(0%)	19(100%)	19(100%)
TLFX	5(33.3%)	0(0%)	10(66.7%)	15(100%)
LVFX	8(9.0%)	0(0%)	81(91.0%)	89(100%)
PZFX	0(0%)	0(0%)	14(100%)	14(100%)
PUFX	0(0%)	0(0%)	2(100%)	2(100%)
MFLX	3(30.0%)	0(0%)	7(70.0%)	10(100%)
GRNX	6(25.0%)	1(4.2%)	17(70.8%)	24(100%)
STFX	1(25.0%)	1(25.0%)	2(50.0%)	4(100%)
ST	21(100%)	0(0%)	0(0%)	21(100%)

