


指定感染菌 薬剤感受性状況

抽出条件

受付日	菌	医療機関
2015/09/01~2015/09/30	P.aeruginosa (MDR)	

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

受付日	菌
2015/09/01~2015/09/30	P.aeruginosa (MDR)

指定感染菌 薬剤感受性状況表


薬剤	S	I	R	合計
PIPC	1(25.0%)	2(50.0%)	1(25.0%)	4(100%)
CAZ	2(50.0%)	0(0%)	2(50.0%)	4(100%)
CFPM	3(60.0%)	2(40.0%)	0(0%)	5(100%)
CZOP	2(50.0%)	1(25.0%)	1(25.0%)	4(100%)
MEPM	0(0%)	0(0%)	5(100%)	5(100%)
DRPM	0(0%)	0(0%)	4(100%)	4(100%)
TBPM-PI	0(0%)	0(0%)	1(100%)	1(100%)
SBT/CPZ	1(25.0%)	2(50.0%)	1(25.0%)	4(100%)
TAZ/PIPC	0(0%)	1(100%)	0(0%)	1(100%)
GM	1(25.0%)	1(25.0%)	2(50.0%)	4(100%)
AMK	0(0%)	1(25.0%)	3(75.0%)	4(100%)
FOM	0(0%)	0(0%)	1(100%)	1(100%)
OFLX	0(0%)	0(0%)	1(100%)	1(100%)
TLFX	0(0%)	0(0%)	1(100%)	1(100%)
LVFX	0(0%)	0(0%)	5(100%)	5(100%)
PZFX	0(0%)	0(0%)	4(100%)	4(100%)
MFLX	0(0%)	0(0%)	1(100%)	1(100%)
GRNX	0(0%)	0(0%)	5(100%)	5(100%)

指定感染菌 薬剤感受性状況

抽出条件

受付日	菌	医療機関
2015/09/01~2015/09/30	S.aureus (MRSA)	

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

受付日	菌
2015/09/01~2015/09/30	S.aureus (MRSA)

指定感染菌 薬剤感受性状況表

	S	I	R	合計
PCG	0(0%)	0(0%)	52(100%)	52(100%)
MPIP	0(0%)	0(0%)	49(100%)	49(100%)
ABPC	0(0%)	0(0%)	15(100%)	15(100%)
AMPC	0(0%)	0(0%)	17(100%)	17(100%)
PIP	0(0%)	0(0%)	45(100%)	45(100%)
CEZ	0(0%)	0(0%)	71(100%)	71(100%)
CTM	0(0%)	0(0%)	76(100%)	76(100%)
CPZ	0(0%)	0(0%)	3(100%)	3(100%)
CXM	0(0%)	0(0%)	1(100%)	1(100%)
CTX	0(0%)	0(0%)	58(100%)	58(100%)
CZX	0(0%)	0(0%)	4(100%)	4(100%)
CMX	0(0%)	0(0%)	1(100%)	1(100%)
CAZ	0(0%)	0(0%)	28(100%)	28(100%)
CTR	0(0%)	0(0%)	36(100%)	36(100%)
CPR	0(0%)	0(0%)	7(100%)	7(100%)
CFPM	0(0%)	0(0%)	74(100%)	74(100%)
CZOP	0(0%)	0(0%)	20(100%)	20(100%)
CMZ	0(0%)	0(0%)	50(100%)	50(100%)
CEX	0(0%)	0(0%)	7(100%)	7(100%)
CCL	0(0%)	0(0%)	11(100%)	11(100%)
CFDN	0(0%)	0(0%)	12(100%)	12(100%)
CPDX-PR	0(0%)	0(0%)	3(100%)	3(100%)
CFTM-PI	0(0%)	0(0%)	5(100%)	5(100%)
CDTR-PI	0(0%)	0(0%)	11(100%)	11(100%)
CFPN-PI	0(0%)	0(0%)	29(100%)	29(100%)
FMOX	0(0%)	0(0%)	52(100%)	52(100%)
IPM/CS	0(0%)	1(1.3%)	76(98.7%)	77(100%)
PAPM/BP	0(0%)	0(0%)	6(100%)	6(100%)
MEPM	0(0%)	0(0%)	36(100%)	36(100%)
FRPM	0(0%)	0(0%)	7(100%)	7(100%)
BIPM	0(0%)	0(0%)	4(100%)	4(100%)
DRPM	0(0%)	0(0%)	20(100%)	20(100%)
TBPM-PI	0(0%)	0(0%)	1(100%)	1(100%)
CVA/AMPC	0(0%)	0(0%)	4(100%)	4(100%)
SBT/ABPC	1(1.3%)	0(0%)	78(98.7%)	79(100%)
SBT/CPZ	0(0%)	1(1.1%)	88(98.9%)	89(100%)
TAZ/PIP	0(0%)	0(0%)	16(100%)	16(100%)
SM	3(60.0%)	1(20.0%)	1(20.0%)	5(100%)
KM	2(33.3%)	0(0%)	4(66.7%)	6(100%)
GM	8(30.8%)	1(3.8%)	17(65.4%)	26(100%)
DKB	0(0%)	0(0%)	1(100%)	1(100%)
TOB	0(0%)	0(0%)	2(100%)	2(100%)
AMK	19(67.9%)	7(25.0%)	2(7.1%)	28(100%)
ISP	8(88.9%)	1(11.1%)	0(0%)	9(100%)
ABK	66(100%)	0(0%)	0(0%)	66(100%)
EM	1(5.0%)	1(5.0%)	18(90.0%)	20(100%)
CAM	5(14.3%)	0(0%)	30(85.7%)	35(100%)
AZM	2(12.5%)	0(0%)	14(87.5%)	16(100%)
CLDM	13(15.5%)	0(0%)	71(84.5%)	84(100%)
MINO	18(18.2%)	3(3.0%)	78(78.8%)	99(100%)
CP	1(100%)	0(0%)	0(0%)	1(100%)
PL-B	0(0%)	0(0%)	6(100%)	6(100%)
VCM	95(100%)	0(0%)	0(0%)	95(100%)
TEIC	78(100%)	0(0%)	0(0%)	78(100%)
LZD	60(100%)	0(0%)	0(0%)	60(100%)
DAP	1(100%)	0(0%)	0(0%)	1(100%)
FOM	7(28.0%)	2(8.0%)	16(64.0%)	25(100%)
NA	0(0%)	0(0%)	4(100%)	4(100%)
NFLX	4(30.8%)	0(0%)	9(69.2%)	13(100%)
OFLX	0(0%)	0(0%)	5(100%)	5(100%)
CPFX	0(0%)	0(0%)	15(100%)	15(100%)
TFLX	2(13.3%)	0(0%)	13(86.7%)	15(100%)
LVFX	6(6.1%)	1(1.0%)	92(92.9%)	99(100%)
PZFX	0(0%)	0(0%)	21(100%)	21(100%)
PUFX	0(0%)	0(0%)	1(100%)	1(100%)
GFLX	0(0%)	0(0%)	1(100%)	1(100%)
MFLX	1(6.7%)	0(0%)	14(93.3%)	15(100%)
GRNX	2(7.7%)	0(0%)	24(92.3%)	26(100%)
STFX	0(0%)	0(0%)	7(100%)	7(100%)
ST	13(100%)	0(0%)	0(0%)	13(100%)

