


指定感染菌 薬剤感受性状況

抽出条件	
受付日	菌
2017/08/01~2017/08/31	S.aureus (MRSA)
	医療機関

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

抽出条件	
受付日	菌
2017/08/01~2017/08/31	S.aureus (MRSA)

指定感染菌 薬剤感受性状況表

	S	I	R	合計
PCG	0(0%)	0(0%)	55(100%)	55(100%)
MPIP	0(0%)	0(0%)	55(100%)	55(100%)
ABPC	0(0%)	0(0%)	14(100%)	14(100%)
AMPC	0(0%)	0(0%)	25(100%)	25(100%)
PIP	0(0%)	0(0%)	53(100%)	53(100%)
CEZ	0(0%)	0(0%)	78(100%)	78(100%)
CTM	0(0%)	0(0%)	73(100%)	73(100%)
CTX	0(0%)	0(0%)	51(100%)	51(100%)
CZX	0(0%)	0(0%)	5(100%)	5(100%)
CMX	0(0%)	0(0%)	1(100%)	1(100%)
GAZ	0(0%)	0(0%)	41(100%)	41(100%)
CTRX	0(0%)	0(0%)	46(100%)	46(100%)
CDZM	0(0%)	0(0%)	4(100%)	4(100%)
CPR	0(0%)	0(0%)	10(100%)	10(100%)
CFPM	0(0%)	0(0%)	88(100%)	88(100%)
CZOP	0(0%)	0(0%)	24(100%)	24(100%)
CMZ	0(0%)	0(0%)	60(100%)	60(100%)
CEX	0(0%)	0(0%)	10(100%)	10(100%)
CCL	0(0%)	0(0%)	22(100%)	22(100%)
CFDN	0(0%)	0(0%)	17(100%)	17(100%)
CPDX-PR	0(0%)	0(0%)	10(100%)	10(100%)
CFTM-PI	0(0%)	0(0%)	8(100%)	8(100%)
CDTR-PI	0(0%)	0(0%)	15(100%)	15(100%)
CFPN-PI	0(0%)	0(0%)	36(100%)	36(100%)
FMOX	0(0%)	0(0%)	54(100%)	54(100%)
IPM/CS	0(0%)	0(0%)	74(100%)	74(100%)
PAPM/BP	0(0%)	0(0%)	1(100%)	1(100%)
MEPM	0(0%)	0(0%)	47(100%)	47(100%)
FRPM	0(0%)	0(0%)	19(100%)	19(100%)
BIPM	0(0%)	0(0%)	7(100%)	7(100%)
DRPM	0(0%)	0(0%)	25(100%)	25(100%)
TBPM-PI	0(0%)	0(0%)	2(100%)	2(100%)
CVA/AMPC	0(0%)	0(0%)	3(100%)	3(100%)
SBT/ABPC	0(0%)	0(0%)	90(100%)	90(100%)
SBT/CPZ	0(0%)	0(0%)	103(100%)	103(100%)
TAZ/PIPC	0(0%)	0(0%)	16(100%)	16(100%)
SM	11(73.3%)	1(6.7%)	3(20.0%)	15(100%)
KM	4(33.3%)	0(0%)	8(66.7%)	12(100%)
GM	12(26.7%)	0(0%)	33(73.3%)	45(100%)
DKB	2(33.3%)	0(0%)	4(66.7%)	6(100%)
TOB	1(50.0%)	0(0%)	1(50.0%)	2(100%)
AMK	28(82.4%)	4(11.8%)	2(5.9%)	34(100%)
ISP	5(35.7%)	5(35.7%)	4(28.6%)	14(100%)
ABK	65(100%)	0(0%)	0(0%)	65(100%)
EM	3(10.3%)	1(3.4%)	25(86.2%)	29(100%)
CAM	6(12.5%)	1(2.1%)	41(85.4%)	48(100%)
AZM	5(26.3%)	0(0%)	14(73.7%)	19(100%)
CLDM	28(28.3%)	2(2.0%)	69(69.7%)	99(100%)
DOXY	1(50.0%)	0(0%)	1(50.0%)	2(100%)
MINO	40(36.0%)	14(12.6%)	57(51.4%)	111(100%)
PL-B	0(0%)	0(0%)	15(100%)	15(100%)
VCM	109(100%)	0(0%)	0(0%)	109(100%)
TEIC	90(100%)	0(0%)	0(0%)	90(100%)
LZD	59(100%)	0(0%)	0(0%)	59(100%)
DAP	2(100%)	0(0%)	0(0%)	2(100%)
FOM	18(42.9%)	5(11.9%)	19(45.2%)	42(100%)
NA	0(0%)	0(0%)	3(100%)	3(100%)
NFLX	2(66.7%)	0(0%)	1(33.3%)	3(100%)
OFLX	1(12.5%)	1(12.5%)	6(75.0%)	8(100%)
CPFX	1(3.3%)	0(0%)	29(96.7%)	30(100%)
LFLX	0(0%)	0(0%)	2(100%)	2(100%)
TFLX	5(20.0%)	0(0%)	20(80.0%)	25(100%)
LVFX	16(13.9%)	0(0%)	99(86.1%)	115(100%)
PZFX	1(4.5%)	0(0%)	21(95.5%)	22(100%)
PUFX	0(0%)	0(0%)	1(100%)	1(100%)
MFLX	1(9.1%)	0(0%)	10(90.9%)	11(100%)
GRNX	3(9.1%)	0(0%)	30(90.9%)	33(100%)
STFX	4(36.4%)	0(0%)	7(63.6%)	11(100%)
ST	32(97.0%)	0(0%)	1(3.0%)	33(100%)

