


指定感染症 薬剤感受性状況

抽出条件

受付日	菌	医療機関
2019/06/01~2019/06/30	P.aeruginosa (MDR)	

指定感染症 検出推移グラフ



指定感染症 薬剤感受性状況

受付日	菌
2019/06/01~2019/06/30	P.aeruginosa (MDR)

指定感染症 薬剤感受性状況表


薬剤	S	I	R	合計
PIPC	0(0%)	1(33.3%)	2(66.7%)	3(100%)
CAZ	0(0%)	2(66.7%)	1(33.3%)	3(100%)
CFPM	0(0%)	0(0%)	3(100%)	3(100%)
CZOP	0(0%)	2(100%)	0(0%)	2(100%)
MEPM	0(0%)	0(0%)	3(100%)	3(100%)
DRPM	0(0%)	0(0%)	2(100%)	2(100%)
SBT/CPZ	0(0%)	1(33.3%)	2(66.7%)	3(100%)
TAZ/PIPC	0(0%)	2(100%)	0(0%)	2(100%)
SM	0(0%)	0(0%)	1(100%)	1(100%)
GM	0(0%)	1(33.3%)	2(66.7%)	3(100%)
AMK	0(0%)	0(0%)	2(100%)	2(100%)
FOM	0(0%)	0(0%)	1(100%)	1(100%)
CPFX	0(0%)	0(0%)	1(100%)	1(100%)
LVFX	0(0%)	0(0%)	3(100%)	3(100%)
PZFX	0(0%)	0(0%)	2(100%)	2(100%)
GRNX	0(0%)	0(0%)	3(100%)	3(100%)

指定感染菌 薬剤感受性状況

抽出条件

受付日	菌	医療機関
2019/06/01~2019/06/30	S.aureus (MRSA)	

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

受付日	菌
2019/06/01~2019/06/30	S.aureus (MRSA)


指定感染菌 薬剤感受性状況表

	S	I	R	合計
PCG	0(0%)	0(0%)	35(100%)	35(100%)
MPIP	0(0%)	0(0%)	35(100%)	35(100%)
ABPC	0(0%)	0(0%)	31(100%)	31(100%)
AMPC	0(0%)	0(0%)	32(100%)	32(100%)
PIP	0(0%)	0(0%)	44(100%)	44(100%)
CEZ	0(0%)	0(0%)	70(100%)	70(100%)
CTM	0(0%)	0(0%)	57(100%)	57(100%)
CPZ	0(0%)	0(0%)	2(100%)	2(100%)
CXM	0(0%)	0(0%)	1(100%)	1(100%)
CTX	0(0%)	0(0%)	50(100%)	50(100%)
CMX	0(0%)	0(0%)	1(100%)	1(100%)
GAZ	0(0%)	0(0%)	39(100%)	39(100%)
CTR	0(0%)	0(0%)	45(100%)	45(100%)
CPR	0(0%)	0(0%)	4(100%)	4(100%)
CFPM	0(0%)	0(0%)	65(100%)	65(100%)
CZOP	0(0%)	0(0%)	24(100%)	24(100%)
CMZ	0(0%)	0(0%)	58(100%)	58(100%)
CEX	0(0%)	0(0%)	3(100%)	3(100%)
CCL	0(0%)	0(0%)	15(100%)	15(100%)
CFDN	0(0%)	0(0%)	21(100%)	21(100%)
CPDX-PR	0(0%)	0(0%)	13(100%)	13(100%)
CFTM-PI	0(0%)	0(0%)	10(100%)	10(100%)
CDTR-PI	0(0%)	0(0%)	14(100%)	14(100%)
CFPN-PI	0(0%)	0(0%)	32(100%)	32(100%)
FMOX	0(0%)	0(0%)	35(100%)	35(100%)
IPM/CS	0(0%)	0(0%)	58(100%)	58(100%)
PAPM/BP	0(0%)	0(0%)	6(100%)	6(100%)
MEPM	0(0%)	0(0%)	40(100%)	40(100%)
FRPM	0(0%)	0(0%)	14(100%)	14(100%)
BIPM	0(0%)	0(0%)	10(100%)	10(100%)
DRPM	0(0%)	0(0%)	27(100%)	27(100%)
TBPM-PI	0(0%)	0(0%)	7(100%)	7(100%)
CVA/AMPC	0(0%)	0(0%)	15(100%)	15(100%)
SBT/ABPC	0(0%)	0(0%)	65(100%)	65(100%)
SBT/CPZ	0(0%)	0(0%)	68(100%)	68(100%)
TAZ/PIP	0(0%)	0(0%)	37(100%)	37(100%)
SM	5(71.4%)	0(0%)	2(28.6%)	7(100%)
KM	2(20.0%)	0(0%)	8(80.0%)	10(100%)
GM	17(44.7%)	0(0%)	21(55.3%)	38(100%)
DKB	1(100%)	0(0%)	0(0%)	1(100%)
TOB	5(55.6%)	0(0%)	4(44.4%)	9(100%)
AMK	30(81.1%)	5(13.5%)	2(5.4%)	37(100%)
ISP	4(100%)	0(0%)	0(0%)	4(100%)
ABK	47(100%)	0(0%)	0(0%)	47(100%)
EM	5(29.4%)	1(5.9%)	11(64.7%)	17(100%)
CAM	9(20.9%)	1(2.3%)	33(76.7%)	43(100%)
AZM	7(20.6%)	1(2.9%)	26(76.5%)	34(100%)
CLDM	31(40.3%)	0(0%)	46(59.7%)	77(100%)
DOXY	0(0%)	0(0%)	3(100%)	3(100%)
MINO	40(47.6%)	16(19.0%)	28(33.3%)	84(100%)
PL-B	0(0%)	0(0%)	10(100%)	10(100%)
VCM	81(100%)	0(0%)	0(0%)	81(100%)
TEIC	59(100%)	0(0%)	0(0%)	59(100%)
LZD	50(100%)	0(0%)	0(0%)	50(100%)
DAP	2(100%)	0(0%)	0(0%)	2(100%)
FOM	24(60.0%)	3(7.5%)	13(32.5%)	40(100%)
NFLX	2(40.0%)	0(0%)	3(60.0%)	5(100%)
OFLX	1(12.5%)	0(0%)	7(87.5%)	8(100%)
CPFX	2(10.5%)	0(0%)	17(89.5%)	19(100%)
LFLEX	0(0%)	0(0%)	3(100%)	3(100%)
TFLX	1(5.9%)	0(0%)	16(94.1%)	17(100%)
LVFX	5(5.7%)	0(0%)	82(94.3%)	87(100%)
PZFX	1(5.0%)	0(0%)	19(95.0%)	20(100%)
PUFX	0(0%)	0(0%)	1(100%)	1(100%)
MFLX	0(0%)	0(0%)	4(100%)	4(100%)
GRNX	5(13.9%)	0(0%)	31(86.1%)	36(100%)
STFX	2(33.3%)	0(0%)	4(66.7%)	6(100%)
ST	30(100%)	0(0%)	0(0%)	30(100%)

指定感染菌 薬剤感受性状況

抽出条件	菌	医療機関
受付日 2019/06/01~2019/06/30	S.pneumoniae (PISP)	

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

抽出条件	菌
受付日 2019/06/01~2019/06/30	S.pneumoniae (PISP)

指定感染菌 薬剤感受性状況表

薬名	S	I	R	合計
ABPC	0(0%)	0(0%)	1(100%)	1(100%)
AMPC	1(100%)	0(0%)	0(0%)	1(100%)
PIPC	0(0%)	0(0%)	1(100%)	1(100%)
CTM	0(0%)	0(0%)	1(100%)	1(100%)
CPZ	1(100%)	0(0%)	0(0%)	1(100%)
CTX	0(0%)	0(0%)	1(100%)	1(100%)
CAZ	0(0%)	0(0%)	1(100%)	1(100%)
CFDN	0(0%)	0(0%)	1(100%)	1(100%)
CDTR-PI	0(0%)	0(0%)	1(100%)	1(100%)
FMOX	0(0%)	0(0%)	1(100%)	1(100%)
IPM/CS	0(0%)	1(100%)	0(0%)	1(100%)
PAPM/BP	1(100%)	0(0%)	0(0%)	1(100%)
MEPM	0(0%)	1(100%)	0(0%)	1(100%)
SBT/ABPC	0(0%)	0(0%)	1(100%)	1(100%)
SBT/CPZ	1(100%)	0(0%)	0(0%)	1(100%)
TAZ/PIPC	0(0%)	0(0%)	1(100%)	1(100%)
GM	0(0%)	0(0%)	1(100%)	1(100%)
AMK	0(0%)	0(0%)	1(100%)	1(100%)
EM	0(0%)	0(0%)	1(100%)	1(100%)
CAM	0(0%)	0(0%)	1(100%)	1(100%)
AZM	0(0%)	0(0%)	1(100%)	1(100%)
MINO	0(0%)	1(100%)	0(0%)	1(100%)
VCM	1(100%)	0(0%)	0(0%)	1(100%)
FOM	1(100%)	0(0%)	0(0%)	1(100%)
NFLX	0(0%)	0(0%)	1(100%)	1(100%)
LVFX	0(0%)	0(0%)	1(100%)	1(100%)
ST	0(0%)	1(100%)	0(0%)	1(100%)