


指定感染菌 薬剤感受性状況

抽出条件

受付日	菌	医療機関
2019/07/01~2019/07/31	<i>P.aeruginosa</i> (MDR)	

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

受付日	菌
2019/07/01~2019/07/31	<i>P.aeruginosa</i> (MDR)


指定感染菌 薬剤感受性状況表

	S	I	R	合計
PIPC	1(14.3%)	4(57.1%)	2(28.6%)	7(100%)
CAZ	3(42.9%)	1(14.3%)	3(42.9%)	7(100%)
CFPM	2(33.3%)	1(16.7%)	3(50.0%)	6(100%)
CZOP	2(50.0%)	1(25.0%)	1(25.0%)	4(100%)
MEPM	0(0%)	0(0%)	7(100%)	7(100%)
DRPM	0(0%)	0(0%)	4(100%)	4(100%)
SBT/CPZ	2(28.6%)	1(14.3%)	4(57.1%)	7(100%)
TAZ/PIPC	1(25.0%)	3(75.0%)	0(0%)	4(100%)
SM	0(0%)	0(0%)	3(100%)	3(100%)
GM	0(0%)	1(16.7%)	5(83.3%)	6(100%)
AMK	0(0%)	0(0%)	3(100%)	3(100%)
ISP	0(0%)	0(0%)	1(100%)	1(100%)
FOM	0(0%)	0(0%)	3(100%)	3(100%)
CPFX	0(0%)	0(0%)	3(100%)	3(100%)
LVFX	0(0%)	0(0%)	7(100%)	7(100%)
PZFX	0(0%)	0(0%)	4(100%)	4(100%)
GRNX	0(0%)	0(0%)	7(100%)	7(100%)
STFX	0(0%)	0(0%)	1(100%)	1(100%)

指定感染菌 薬剤感受性状況

抽出条件	
受付日	菌
2019/07/01~2019/07/31	S.aureus (MRSA)
	医療機関

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

抽出条件	
受付日	菌
2019/07/01~2019/07/31	S.aureus (MRSA)

指定感染菌 薬剤感受性状況表

	S	I	R	合計
PCG	0(0%)	0(0%)	53(100%)	53(100%)
MPIP	0(0%)	0(0%)	59(100%)	59(100%)
ABPC	0(0%)	0(0%)	22(100%)	22(100%)
AMPC	0(0%)	0(0%)	39(100%)	39(100%)
PIPC	0(0%)	0(0%)	54(100%)	54(100%)
CEZ	0(0%)	0(0%)	101(100%)	101(100%)
CTM	0(0%)	0(0%)	74(100%)	74(100%)
CXM	0(0%)	0(0%)	3(100%)	3(100%)
CTX	0(0%)	0(0%)	62(100%)	62(100%)
CZX	0(0%)	0(0%)	2(100%)	2(100%)
CMX	0(0%)	0(0%)	1(100%)	1(100%)
GAZ	0(0%)	0(0%)	48(100%)	48(100%)
CTR	0(0%)	0(0%)	55(100%)	55(100%)
CPR	0(0%)	0(0%)	2(100%)	2(100%)
CFPM	0(0%)	0(0%)	90(100%)	90(100%)
CZOP	0(0%)	0(0%)	23(100%)	23(100%)
CFX	0(0%)	0(0%)	1(100%)	1(100%)
CMZ	0(0%)	0(0%)	91(100%)	91(100%)
CMNX	0(0%)	0(0%)	1(100%)	1(100%)
CEX	0(0%)	0(0%)	3(100%)	3(100%)
CCL	0(0%)	0(0%)	26(100%)	26(100%)
CFIX	0(0%)	0(0%)	1(100%)	1(100%)
CFDN	0(0%)	0(0%)	16(100%)	16(100%)
CPDX-PR	0(0%)	0(0%)	9(100%)	9(100%)
CFTM-PI	0(0%)	0(0%)	5(100%)	5(100%)
CDTR-PI	0(0%)	0(0%)	18(100%)	18(100%)
CFPN-PI	0(0%)	0(0%)	24(100%)	24(100%)
LMOX	0(0%)	0(0%)	1(100%)	1(100%)
FMOX	0(0%)	0(0%)	55(100%)	55(100%)
IPM/CS	0(0%)	0(0%)	70(100%)	70(100%)
MEPM	0(0%)	0(0%)	53(100%)	53(100%)
FRPM	0(0%)	0(0%)	30(100%)	30(100%)
BIPM	0(0%)	0(0%)	6(100%)	6(100%)
DRPM	0(0%)	0(0%)	27(100%)	27(100%)
TBPM-PI	0(0%)	0(0%)	7(100%)	7(100%)
GVA/AMPC	0(0%)	0(0%)	12(100%)	12(100%)
SBT/ABPC	0(0%)	0(0%)	99(100%)	99(100%)
SBT/CPZ	0(0%)	0(0%)	97(100%)	97(100%)
TAZ/PIPC	0(0%)	0(0%)	34(100%)	34(100%)
SM	12(75.0%)	3(18.8%)	1(6.3%)	16(100%)
KM	0(0%)	0(0%)	4(100%)	4(100%)
GM	18(45.0%)	3(7.5%)	19(47.5%)	40(100%)
DKB	0(0%)	0(0%)	1(100%)	1(100%)
TOB	1(25.0%)	0(0%)	3(75.0%)	4(100%)
AMK	19(76.0%)	5(20.0%)	1(4.0%)	25(100%)
ISP	7(63.6%)	2(18.2%)	2(18.2%)	11(100%)
ABK	63(100%)	0(0%)	0(0%)	63(100%)
EM	4(16.0%)	0(0%)	21(84.0%)	25(100%)
CAM	5(10.4%)	1(2.1%)	42(87.5%)	48(100%)
AZM	4(12.9%)	0(0%)	27(87.1%)	31(100%)
CLDM	34(34.0%)	1(1.0%)	65(65.0%)	100(100%)
DOXY	0(0%)	0(0%)	2(100%)	2(100%)
MINO	52(46.0%)	12(10.6%)	49(43.4%)	113(100%)
PL-B	0(0%)	0(0%)	6(100%)	6(100%)
VCM	108(100%)	0(0%)	0(0%)	108(100%)
TEIC	78(100%)	0(0%)	0(0%)	78(100%)
LZD	66(100%)	0(0%)	0(0%)	66(100%)
DAP	3(100%)	0(0%)	0(0%)	3(100%)
FOM	29(67.4%)	4(9.3%)	10(23.3%)	43(100%)
NFLX	1(50.0%)	0(0%)	1(50.0%)	2(100%)
OFLX	2(22.2%)	0(0%)	7(77.8%)	9(100%)
CPFX	1(3.7%)	0(0%)	26(96.3%)	27(100%)
LFLX	2(33.3%)	0(0%)	4(66.7%)	6(100%)
TLX	4(30.8%)	0(0%)	9(69.2%)	13(100%)
LVFX	12(10.4%)	0(0%)	103(89.6%)	115(100%)
PZFX	3(10.0%)	1(3.3%)	26(86.7%)	30(100%)
PIJFX	1(33.3%)	0(0%)	2(66.7%)	3(100%)
GFLX	0(0%)	0(0%)	1(100%)	1(100%)
MFLX	1(12.5%)	0(0%)	7(87.5%)	8(100%)
GRNX	7(14.3%)	0(0%)	42(85.7%)	49(100%)
STFX	1(8.3%)	0(0%)	11(91.7%)	12(100%)
ST	37(100%)	0(0%)	0(0%)	37(100%)

