
印刷日:2022/12/22 15:14:05

指定感染菌 薬剤感受性状況

#出条件 受付日 菌 医療機関 2022/11/01~2022/11/30 Saureus (MRSA)

指定感染菌 ฝ出推移グラフ



指定感染菌 薬剤感受性状況

指定感染菌 薬剤感受性状況表 指定感染图 樂剤版受性状况表
S I R 合計
PCG 0(0%) 0(0%) 47(100%) 47(100%)
MPIPC 0(0%) 0(0%) 46(100%) 46(100%)
ABPC 0(0%) 0(0%) 20(100%) 20(100%)
AMPC 0(0%) 0(0%) 39(100%) 39(100%) 0(%) 0(%) 39(100%) 39(100%) 0(%) 0(%) 52(100%) 52(100%) 52(100%) 0(%) 70(100%) 70(100%) 0(%) 0(%) 66(100%) 66(100%) 66(100%) 0(%) 0(%) 0(%) 1(100%) 1(100%) 1(100%) 0(%) 0(%) 55(100%) 55(100%) 55(100%) PIPC CPZ | 0(%) | 0(%) | 55(100%) | 55(100%) | 55(100%) | 0(0%) | 0(10%) | 2(100%) | 2(100%) | 0(0%) | 0(0%) | 2(100%) | 2(100%) | 0(0%) | 0(0%) | 38(100%) | 38(100%) | 38(100%) | 38(100%) | 38(100%) | 36(100%) | 0(0%) | 0(0%) | 0(0%) | 0(10%) | 0(10%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | 0(0%) | CZX CMX CAZ CTRX CPR CFPM CZOP CMZ CEX CCL 0(0%) 0(0%) 0(0%) 0(0%) 0(0%) 0(0%) 19(100 CFDN CFDN CPDX-PR CFTM-PI CDTR-PI CFPN-PI FMOX 0(0%) IPM/CS MEPM FRPM BIPM DRPM TBPM-PI 0(0%) 0(0%) 2(100%) 2(100%) PZFX GFLX 1(100%) 0(0%) 8(100%) 8(100%)

GFLX 1(100%) 0(0%) 0(0%) 1(100%)

MFLX 1(20.0%) 0(0%) 4(80.0%) 5(100%)

MFLX 1(20.0%) 0(0%) 4(80.0%) 5(100%) GRNX 5(17.2%) 0(0%) 24(82.8%) 29(100%) STFX 2(28.6%) 0(0%) 5(71.4%) 7(100%) 35(97.2%) 0(0%) 1(2.8%) 36(100%)