
印刷日:2023/06/20 10:49:13

## 指定感染菌 薬剤感受性状況

## 抽出条件 受付日 菌 医療機関 2023/05/01~2023/05/31 Saureus (MRSA)

## 指定感染菌 検出推移グラフ



## 指定感染菌 薬剤感受性状況

受信	†日	菌	
202	3/05/01~2023/05/31	S.aureus (MRSA)	

指定感染菌 薬剤感受性状況表							
D00	S	I I	R	合計			
PCG MPIPC	0(0%)	0(0%) 0(0%)	63(100%) 61(100%)	63(100%) 61(100%)			
ABPC	0(0%)	0(0%)	12(100%)	12(100%)			
AMPC	0(0%)	0(0%)	23(100%)	23(100%)			
PIPC	0(0%)	0(0%)	35(100%)	35(100%)			
CEZ	0(0%)	0(0%)	76(100%)	76(100%)			
CTM	0(0%)	0(0%)	77(100%)	77(100%)			
CTX	0(0%)	0(0%)	67(100%)	67(100%)			
CMX	0(0%)	0(0%)	2(100%)	2(100%)			
CAZ	0(0%)	0(0%)	22(100%)	22(100%)			
CTRX	0(0%)	0(0%)	35(100%)	35(100%)			
CPR	0(0%)	0(0%)	4(100%)	4(100%)			
CFPM	0(0%)	0(0%)	75(100%)	75(100%)			
CZOP	0(0%) 0(0%)	0(0%)	11(100%) 78(100%)	11(100%) 78(100%)			
CMZ CEX	0(0%)	0(0%) 0(0%)		2(100%)			
CCL	0(0%)	0(0%)	2(100%) 13(100%)	13(100%)			
CFDN	0(0%)	0(0%)	10(100%)	10(100%)			
CPDX-PR	0(0%)	0(0%)	8(100%)	8(100%)			
CFTM-PI	0(0%)	0(0%)	4(100%)	4(100%)			
CDTR-PI	0(0%)	0(0%)	12(100%)	12(100%)			
CFPN-PI	0(0%)	0(0%)	16(100%)	16(100%)			
FMOX	0(0%)	0(0%)	60(100%)	60(100%)			
IPM/CS	0(0%)	0(0%)	77(100%)	77(100%)			
MEPM	0(0%)	0(0%)	28(100%)	28(100%)			
FRPM	0(0%)	0(0%)	11(100%)	11(100%)			
BIPM	0(0%)	0(0%)	8(100%)	8(100%)			
DRPM	0(0%)	0(0%)	9(100%)	9(100%)			
CVA/AMPC	0(0%)	0(0%)	12(100%)	12(100%)			
SBT/ABPC	0(0%)	0(0%)	92(100%)	92(100%)			
SBT/CPZ TAZ/PIPC	0(0%) 0(0%)	0(0%) 0(0%)	83(100%)	83(100%) 27(100%)			
SM	7(77.8%)	0(0%)	27(100%) 2(22.2%)	9(100%)			
KM	5(83.3%)	0(0%)	1(16.7%)	6(100%)			
GM	13(56.5%)	0(0%)	10(43.5%)	23(100%)			
DKB	1(100%)	0(0%)	0(0%)	1(100%)			
TOB	1(33.3%)	0(0%)	2(66.7%)	3(100%)			
AMK	21(100%)	0(0%)	0(0%)	21(100%)			
ISP	2(66.7%)	1(33.3%)	0(0%)	3(100%)			
ABK	65(100%)	0(0%)	0(0%)	65(100%)			
EM	5(33.3%)	3(20.0%)	7(46.7%)	15(100%)			
CAM	7(23.3%)	1(3.3%)	22(73.3%)	30(100%)			
AZM	3(13.6%)	1(4.5%)	18(81.8%)	22(100%)			
CLDM	35(41.7%)	1(1.2%)	48(57.1%)	84(100%)			
MINO CP	54(56.8%) 2(100%)	9(9.5%) 0(0%)	32(33.7%) 0(0%)	95(100%) 2(100%)			
PL-B	0(0%)	0(0%)	10(100%)	10(100%)			
VCM	93(100%)	0(0%)	0(0%)	93(100%)			
TEIC	79(100%)	0(0%)	0(0%)	79(100%)			
LZD	74(100%)	0(0%)	0(0%)	74(100%)			
DAP	1(100%)	0(0%)	0(0%)	1(100%)			
FOM	19(73.1%)	0(0%)	7(26.9%)	26(100%)			
NFLX	1(33.3%)	0(0%)	2(66.7%)	3(100%)			
OFLX	0(0%)	0(0%)	2(100%)	2(100%)			
CPFX	0(0%)	0(0%)	16(100%)	16(100%)			
LFLX	0(0%)	0(0%)	1(100%)	1(100%)			
TFLX	0(0%)	0(0%)	6(100%)	6(100%)			
LVFX PZFX	5(5.3%) 0(0%)	0(0%) 0(0%)	90(94.7%) 3(100%)	95(100%) 3(100%)			
GFLX	1(50.0%)	0(0%)	1(50.0%)	2(100%)			
MFLX	1(16.7%)	0(0%)	5(83.3%)	6(100%)			
GRNX	0(0%)	0(0%)	17(100%)	17(100%)			
STFX	2(33.3%)	0(0%)	4(66.7%)	6(100%)			
ST	26(96.3%)	0(0%)	1(3.7%)	27(100%)			