


指定感染菌 薬剤感受性状況

抽出条件

受付日	菌	医療機関
2024/04/01~2024/04/30	S.aureus (MRSA)	

指定感染菌 検出推移グラフ



印刷日: 2024/05/30 15:13:08

指定感染菌 薬剤感受性状況

受付日

受付日	菌
2024/04/01~2024/04/30	S.aureus (MRSA)

指定感染菌 薬剤感受性状況表

	S	I	R	合計
PCG	0(0%)	0(0%)	37(100%)	37(100%)
MPICP	0(0%)	0(0%)	38(100%)	38(100%)
ABCP	0(0%)	0(0%)	16(100%)	16(100%)
AMPC	0(0%)	0(0%)	30(100%)	30(100%)
PIPC	0(0%)	0(0%)	53(100%)	53(100%)
CEZ	0(0%)	0(0%)	70(100%)	70(100%)
CTM	0(0%)	0(0%)	58(100%)	58(100%)
CPZ	0(0%)	0(0%)	1(100%)	1(100%)
CMX	0(0%)	0(0%)	1(100%)	1(100%)
CTX	0(0%)	0(0%)	41(100%)	41(100%)
CZX	0(0%)	0(0%)	2(100%)	2(100%)
CMX	0(0%)	0(0%)	1(100%)	1(100%)
CAZ	0(0%)	0(0%)	29(100%)	29(100%)
CTRX	0(0%)	0(0%)	52(100%)	52(100%)
CPR	0(0%)	0(0%)	3(100%)	3(100%)
CFPM	0(0%)	0(0%)	63(100%)	63(100%)
CZOP	0(0%)	0(0%)	15(100%)	15(100%)
CMZ	0(0%)	0(0%)	67(100%)	67(100%)
CMNX	0(0%)	0(0%)	1(100%)	1(100%)
CEX	0(0%)	0(0%)	8(100%)	8(100%)
CCL	0(0%)	0(0%)	33(100%)	33(100%)
CFIX	0(0%)	0(0%)	1(100%)	1(100%)
CFDN	0(0%)	0(0%)	14(100%)	14(100%)
CPDX-PR	0(0%)	0(0%)	8(100%)	8(100%)
CFTM-PI	0(0%)	0(0%)	7(100%)	7(100%)
CDTR-PI	0(0%)	0(0%)	15(100%)	15(100%)
CFPN-PI	0(0%)	0(0%)	26(100%)	26(100%)
LMOX	0(0%)	0(0%)	1(100%)	1(100%)
FMOX	0(0%)	0(0%)	38(100%)	38(100%)
IPM/CS	0(0%)	0(0%)	57(100%)	57(100%)
MEPM	0(0%)	0(0%)	40(100%)	40(100%)
FRPM	0(0%)	0(0%)	23(100%)	23(100%)
BIPM	0(0%)	0(0%)	9(100%)	9(100%)
DRPM	0(0%)	0(0%)	7(100%)	7(100%)
TBPM-PI	0(0%)	0(0%)	1(100%)	1(100%)
CVA/AMPC	0(0%)	0(0%)	23(100%)	23(100%)
SBT/ABPC	0(0%)	0(0%)	86(100%)	86(100%)
SBT/CPZ	0(0%)	0(0%)	76(100%)	76(100%)
TAZ/PIPC	0(0%)	0(0%)	47(100%)	47(100%)
SM	16(94.1%)	0(0%)	1(5.9%)	17(100%)
KM	4(66.7%)	0(0%)	2(33.3%)	6(100%)
GM	15(50.0%)	1(3.3%)	14(46.7%)	30(100%)
DKB	2(100%)	0(0%)	0(0%)	2(100%)
TOB	0(0%)	0(0%)	2(100%)	2(100%)
AMK	22(84.6%)	4(15.4%)	0(0%)	26(100%)
ISP	2(100%)	0(0%)	0(0%)	2(100%)
ABK	42(100%)	0(0%)	0(0%)	42(100%)
EM	1(4.3%)	2(8.7%)	20(87.0%)	23(100%)
CAM	47(7.5%)	1(1.9%)	48(90.6%)	53(100%)
AZM	13(3.0%)	0(0%)	32(97.0%)	33(100%)
CLDM	14(17.0%)	0(0%)	64(82.1%)	78(100%)
DOXY	0(0%)	0(0%)	2(100%)	2(100%)
MINO	58(63.0%)	10(10.9%)	24(26.1%)	92(100%)
CP	1(100%)	0(0%)	0(0%)	1(100%)
PL-B	0(0%)	0(0%)	12(100%)	12(100%)
VCM	86(100%)	0(0%)	0(0%)	86(100%)
TEIC	65(100%)	0(0%)	0(0%)	65(100%)
LZD	61(100%)	0(0%)	0(0%)	61(100%)
DAP	1(100%)	0(0%)	0(0%)	1(100%)
FOM	30(65.2%)	1(2.2%)	15(32.6%)	46(100%)
NFLX	0(0%)	0(0%)	2(100%)	2(100%)
OFLEX	0(0%)	0(0%)	5(100%)	5(100%)
CPFX	0(0%)	0(0%)	22(100%)	22(100%)
TFLEX	0(0%)	0(0%)	13(100%)	13(100%)
LVFX	4(4.3%)	0(0%)	90(95.7%)	94(100%)
PZFX	0(0%)	0(0%)	5(100%)	5(100%)
GFLX	1(100%)	0(0%)	0(0%)	1(100%)
MFLX	2(18.2%)	0(0%)	9(81.8%)	11(100%)
GRNX	1(3.6%)	0(0%)	27(96.4%)	28(100%)
STFX	5(35.7%)	0(0%)	9(64.3%)	14(100%)
ST	37(100%)	0(0%)	0(0%)	37(100%)

[illegible]