


指定感染菌 薬剤感受性状況

印刷日: 2025/10/25 17:23:30

抽出条件

| 受付日 | 菌 | 医療機関 |
|-------------------------|-----------------|------|
| 2025/09/01 ~ 2025/09/30 | S.aureus (MRSA) | |

指定感染菌 検出推移グラフ



指定感染菌 薬剤感受性状況

| 受付日 | 菌 |
|-------------------------|-----------------|
| 2025/09/01 ~ 2025/09/30 | S.aureus (MRSA) |

指定感染菌 薬剤感受性状況表

| | S | I | R | 合計 |
|----------|-----------|-----------|-----------|----------|
| PCG | 0(0%) | 0(0%) | 36(100%) | 36(100%) |
| MPIC | 0(0%) | 0(0%) | 36(100%) | 36(100%) |
| ABPC | 0(0%) | 0(0%) | 18(100%) | 18(100%) |
| AMPC | 0(0%) | 0(0%) | 25(100%) | 25(100%) |
| PIPC | 0(0%) | 0(0%) | 38(100%) | 38(100%) |
| CEZ | 0(0%) | 0(0%) | 60(100%) | 60(100%) |
| CTM | 0(0%) | 0(0%) | 49(100%) | 49(100%) |
| CPZ | 0(0%) | 0(0%) | 3(100%) | 3(100%) |
| CXM | 0(0%) | 0(0%) | 1(100%) | 1(100%) |
| CTX | 0(0%) | 0(0%) | 43(100%) | 43(100%) |
| CZX | 0(0%) | 0(0%) | 2(100%) | 2(100%) |
| CMX | 0(0%) | 0(0%) | 3(100%) | 3(100%) |
| CAZ | 0(0%) | 0(0%) | 30(100%) | 30(100%) |
| CTRX | 0(0%) | 0(0%) | 34(100%) | 34(100%) |
| CPR | 0(0%) | 0(0%) | 3(100%) | 3(100%) |
| CFPN | 0(0%) | 0(0%) | 59(100%) | 59(100%) |
| CZOP | 0(0%) | 0(0%) | 8(100%) | 8(100%) |
| CMZ | 0(0%) | 0(0%) | 59(100%) | 59(100%) |
| CMNX | 0(0%) | 0(0%) | 1(100%) | 1(100%) |
| CEX | 0(0%) | 0(0%) | 4(100%) | 4(100%) |
| CCL | 0(0%) | 0(0%) | 19(100%) | 19(100%) |
| CFIX | 0(0%) | 0(0%) | 1(100%) | 1(100%) |
| CFDN | 0(0%) | 0(0%) | 12(100%) | 12(100%) |
| CPDX-PR | 0(0%) | 0(0%) | 11(100%) | 11(100%) |
| CFTM-PI | 0(0%) | 0(0%) | 4(100%) | 4(100%) |
| CDTR-PI | 0(0%) | 0(0%) | 15(100%) | 15(100%) |
| CFPN-PI | 0(0%) | 0(0%) | 22(100%) | 22(100%) |
| LMOX | 0(0%) | 0(0%) | 1(100%) | 1(100%) |
| FMOX | 0(0%) | 0(0%) | 40(100%) | 40(100%) |
| IPM/CS | 0(0%) | 0(0%) | 55(100%) | 55(100%) |
| MEPM | 0(0%) | 0(0%) | 35(100%) | 35(100%) |
| FRPM | 0(0%) | 0(0%) | 17(100%) | 17(100%) |
| BIPM | 0(0%) | 0(0%) | 5(100%) | 5(100%) |
| DRPM | 0(0%) | 0(0%) | 7(100%) | 7(100%) |
| TBPM-PI | 0(0%) | 0(0%) | 2(100%) | 2(100%) |
| CVA/AMPC | 0(0%) | 0(0%) | 17(100%) | 17(100%) |
| SBT/ABPC | 0(0%) | 0(0%) | 67(100%) | 67(100%) |
| SBT/CPZ | 0(0%) | 0(0%) | 55(100%) | 55(100%) |
| TAZ/PIPC | 0(0%) | 0(0%) | 32(100%) | 32(100%) |
| SM | 10(83.3%) | 2(16.7%) | 0(0%) | 12(100%) |
| KM | 1(20.0%) | 0(0%) | 4(80.0%) | 5(100%) |
| GM | 18(46.2%) | 0(0%) | 21(53.8%) | 39(100%) |
| DKB | 1(33.3%) | 0(0%) | 2(66.7%) | 3(100%) |
| TOB | 0(0%) | 0(0%) | 2(100%) | 2(100%) |
| AMK | 31(91.2%) | 3(8.8%) | 0(0%) | 34(100%) |
| ISP | 3(100%) | 0(0%) | 0(0%) | 3(100%) |
| ABK | 42(100%) | 0(0%) | 0(0%) | 42(100%) |
| EM | 2(6.1%) | 0(0%) | 31(93.9%) | 33(100%) |
| CAM | 3(8.3%) | 2(5.6%) | 31(86.1%) | 36(100%) |
| AZM | 1(5.0%) | 0(0%) | 19(95.0%) | 20(100%) |
| CLDM | 12(19.4%) | 2(3.2%) | 48(77.4%) | 62(100%) |
| DOXY | 2(100%) | 0(0%) | 0(0%) | 2(100%) |
| MINO | 34(47.2%) | 4(5.6%) | 34(47.2%) | 72(100%) |
| CP | 1(100%) | 0(0%) | 0(0%) | 1(100%) |
| PL-B | 0(0%) | 0(0%) | 5(100%) | 5(100%) |
| VCM | 72(100%) | 0(0%) | 0(0%) | 72(100%) |
| TEIC | 59(100%) | 0(0%) | 0(0%) | 59(100%) |
| LZD | 56(100%) | 0(0%) | 0(0%) | 56(100%) |
| DAP | 2(100%) | 0(0%) | 0(0%) | 2(100%) |
| FOM | 22(78.6%) | 6(21.4%) | 28(100%) | 56(100%) |
| NFLX | 1(33.3%) | 0(0%) | 2(66.7%) | 3(100%) |
| OFLX | 1(14.3%) | 0(0%) | 6(85.7%) | 7(100%) |
| CFPX | 0(0%) | 0(0%) | 23(100%) | 23(100%) |
| TFLX | 1(10.0%) | 0(0%) | 9(90.0%) | 10(100%) |
| LVFX | 2(2.7%) | 0(0%) | 71(97.3%) | 73(100%) |
| PZFX | 0(0%) | 0(0%) | 2(100%) | 2(100%) |
| GFLX | 0(0%) | 0(0%) | 1(100%) | 1(100%) |
| MFLX | 0(0%) | 0(0%) | 2(100%) | 2(100%) |
| GRNX | 1(4.3%) | 21(91.3%) | 23(100%) | 23(100%) |
| STFX | 3(50.0%) | 0(0%) | 3(50.0%) | 6(100%) |
| ST | 43(100%) | 0(0%) | 0(0%) | 43(100%) |